


Iodocleanse

FULL SPECTRUM AGAINST KNOWN POULTRY & LIVESTOCK DISEASES

SUPERIOR VIRUCIDAL BROAD SPECTRUM IODINE DISINFECTANT
28% IODOPHOR CONTENT (2.8% AVAILABLE IODINE)



Pioneers in Hygiene Technology



Iodocleanse

28% IODOPHOR CONTENT (2.8% AVAILABLE IODINE)

DESCRIPTION

- **Rapid, unparalleled effectiveness against mixed infections**
- **Offers complete protection – no known resistant pathogens**
- **Powerful virucidal action**
- **Bactericidal against both gram-positive & gram-negative bacteria**
- **Effective against antibiotic-resistant bacterial strains**
- **Effective against fungi, yeasts, moulds, protozoa**
- **Proven activity against several bacterial & fungal spores**
- **Non-tainting & odour-free at use dilutions**
- **Good detergent action**
- **Retains activity in the presence of organic soiling & hard water**
- **Non-corrosive & non-staining formulation with low user toxicity**

DIRECTIONS FOR USE

APPLICATION	USE DILUTION	INSTRUCTIONS
General purpose disinfection clean surfaces	1:500	20-25 L /100m ²
Floors, porous surfaces heavily soiled areas	1:250	Totally drench Use >25 L /100m ²
Equipment, tanks, cages, feeders, drinkers	1:500	Allow at least 30 min. and rinse
Foot and wheel dips	1:100	Replenish at least weekly
Aerial application – misting	1:300	1 L /100m ³ Spray daily
Water system disinfection	1:250	Rinse after 30 min.
Drinking water sanitisation	1:2500 - 1:3000	Depending on water quality

ANTIMICROBIAL EFFICACY

Passes stringent Quantitative British-European standard test protocols:

BS EN 1276 Evaluation of bactericidal activity of disinfectants. Used in food, industrial, domestic and institutional areas.

BS EN 13704 Evaluation of Sporicidal activity of chemical disinfectant.

BS EN 1650 Evaluation of Fungicidal or Yeastocidal activity.

BS EN 1656 Evaluation of Bactericidal activity of disinfectants used in the veterinary area.

BS EN 1657 Evaluation of Fungicidal activity of chemical disinfectants and antiseptics used in the veterinary field.

Transport & storage: Transport and store between 4°C - 38°C (40°F - 100°F). Incorrect storage or freezing may cause destabilisation of product.

Shake well before use.

ANGER

UN number: UN2920

Shipping name: CORROSIVE LIQUID,
FLAMMABLE, N.O.S.
(METHANOL, ORTHOPHOSPHORIC ACID
SOLUTION)

Hazardous ingredients:
IODINE (2.8%), ALCOHOL ETHOXYLATE,
METHANOL, ORTHOPHOSPHORIC ACID,
SULPHONIC ACID

Flammable liquid and vapour. Harmful if
swallowed. Causes severe skin burns and eye
damage. May cause damage to organs.

Keep away from heat, hot surfaces, sparks, open
flames and other ignition sources. No smoking.
Do not breathe fumes. Wear protective
gloves/protective clothing/eye protection/face
protection. IF SWALLOWED: Call a POISON
CENTER/doctor if you feel unwell. IF ON SKIN (or
hair): Take off immediately all contaminated
clothing. Rinse skin with water/shower. IF
INHALED: Remove person to fresh air and keep
comfortable for breathing. IF IN EYES: Rinse
cautiously with water for several minutes.
Remove contact lenses, if present and easy to do.
Continue rinsing.

For professional use only.

25L

QCIA0959_0818



Manufactured in the UK by Quat-Chem Ltd.

1-4 Sandfield Industrial Park, Dodgson Street, Greater Manchester, United Kingdom, OL16 5SJ

W: www.quatchem.com E: sales@quatchem.co.uk T: +44(0)1706 344 797

EN ISO 9001:2008 QMS

GMP ISO 22716:2007