


FOAMSAN

NON-TAINTING FOAM DISINFECTANT



FOAMSAN

APPLICATIONS

A single-step routine cleaner disinfectant for routine disinfection of surfaces and equipment in:

- Abattoirs & meat processing plants
- Hatcheries & poultry farming
- Food processing plants
- Livestock agriculture
- Plants handling milk & dairy
- Catering establishments

DIRECTIONS FOR USE

It is recommended that heavy soiling or contamination and debris should be removed by brushing or scraping prior to application of Foamsan solutions.

Allow 10-25 minutes contact time before rinsing off with clean water.

Blanket foam applications: Use a dilution of 1:50 (200ml per 10 litres of water) to 1:100 (100ml per 10 litres of water), depending on level of soiling, using an appropriate foam generating lance. The foam should be allowed to remain in contact with the surface for 10-30 minutes; vertical and angled surfaces should be allowed the longer contact time.

Manual cleaning and immersion of equipment: prepare a fresh 1:100 (100ml per 10 litres of water) solution for soak tank or immersion cleaning. Scrub and rinse thoroughly in clean water after soaking for at least 30 minutes. Replenish the solution daily.

ANTIMICROBIAL EFFICACY

Passes stringent Quantitative British-European standard test protocols: BS EN 1656 Chemical disinfectants and antiseptics. Quantitative suspension test for the evaluation of bactericidal activity of chemical disinfectants.



DANGER

UN number: UN1760

Shipping name: CORROSIVE LIQUID, N.O.S. (C12-C16 ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE)

Hazardous ingredients:

C12-C16 ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE (15.6%), COCO DIETHANOLAMIDE, EDTIC ACID (EDTA), SODIUM SILICATE, AMOX, ALCOHOL ETHOXYLATE

Harmful if swallowed. Causes severe skin burns and eye damage. Very toxic to aquatic life with long lasting effects.

Do not breathe vapours. Wear protective gloves/ protective clothing/eye protection/ face protection. IF SWALLOWED: Call a physician if you feel unwell. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing.

For professional use only.

Transport and store between 4°C - 30°C (40°F - 86°F). Incorrect storage or freezing may cause destabilisation of product.

Shake well before use.



Manufactured in the UK by: Quat-Chem Ltd, a Neogen® Company
1-4 Sandfield Industrial Park, Dodgson Street,
Greater Manchester, United Kingdom, OL16 5SJ
W: animalsafety.neogen.com
E: biosecuritysales@NEOGEN.com
T: +44(0)1706 344 797

5L

EN ISO 9001:2015
GMP ISO 22716:2007
NLA1020_1295